UTAH LAND SURVEY MONUMENT RECORD

County <u>FHERY</u>		1610 County Reference No. <u>1646 100440</u>
1. Date of Field Work:	2-21-00	
2. Type of Monument: (Check one)	Section Corner Bench Mark	Quarter CornerOther
3. Your Description and Ob Found 5TP GLD CAP	oservation of Monument Fou along A N-5- PENCE	and (Be Specific):
4. Description of Monumen Location of this Point:	t, Reference Monument or A SET L# 4 REBARS NORTH & A	Accessories Established by You to Perpetuate the
5. Sketch showing Relative Found or Set. Show Supp	of thig and/or Contradictory	ssories and Two Reference Points Stating Whether Evidence where Applicable. Include North Arrow. N2'57'58'\(\omega \times \) 48.22
6. Certification: Firm Name and/or Surveyor: Address:	JOHANSEN & TUTTLE EN 905 100E CASTLE DALE	Phone: 381-2523_
This is to certify that I was in my knowledge the information	responsible charge of the surveyin n presented herein is true and co	g work described in this record and that to the best of
7. Location Diagram: 8. Section: 18 9. Township: 165 10. Range: 10E 10. Range: 20E Range: 20E Range: 20E	1 8 N	Signatural No. 146602 Surveyor Seatrain Change (oversagnatura) Chang
5 13 514		11-30-01
11. Monument Inscription:	 Diagram Coordinate from Master Index for Townships: 	Report one monument per form. Type or use permanent black ink. Fill in all items.

UTAHI AND SURVEY MONIUM

County EMERY		•	1610 County Reference No. <u>+244</u> 100 4460
1. Date of Field Work: 12	-21-00		
2. Type of Monument: (Check one)	Section Corner Bench Mark	Quarter Cor	
3. Your Description and Ob found STD SLM CAP	servation of Monument : 10' W & 8' South of	Found (Be Specific N-3-W FENCE (e): Corner
4. Description of Monument Location of this Point: 50	Reference Monument of A#A REBAR NORTH	or Accessories Esta W - 5w - 5e 6¢	ablished by You to Perpetuate the
5. Sketch showing Relative Found or Set. Show Supp	Location of Monument A orting and/or Contradict	ccessories and Tw ory Evidence wher	o Reference Points Stating Whether e Applicable. Include North Arrow.
	*	* <u> </u>	
µ77°4 47∙ У.		r#4 rebar 14°22' 13"E 62.112	
SET	EDAR /)		N
X — X —	/ \ X 3	1"55'57"E 6.41	
5 32°03'52''4 40.9 4	SET	KEUNK	
. Certification:	SEI CELAND		
Firm Name and/or Surveyor:	JOHANSEN &	TUTTLE ENG STLE DALK UTAN	Phone: <u>381-2523</u>
This is to certify that I was in r my knowledge the information	esponsible charge of the surv	eving work described i	in this record and that to the best of
Location Diagram: Section: 18		7	SD LAND STI
Township: 168 D. Range: 10E	1/8		Signature
5. TIUS 5. RIS HILL RIDE	1 1 1 1		Surveyor's Seal CRAIG E. (over signature) OHANSE (0)
513 518			Date FOFUT

11. Monument Inscription:

7. 8. 9.

12. Diagram Coordinate from Master Index for Townships:

Report one monument per form. Type or use permanent black ink. Fill in all items.

UTAH LAND SURVEY MONI IMENT RECORD

County EMERY		County Reference No. 140 400
1. Date of Field Work: /	2-21	
2. Type of Monument: (Check one)	Section Corner Bench Mark	Quarter Corner Other
3. Your Description and Ol	oservation of Monument F	ound (Be Specific):
		•
4. Description of Monumen Location of this Point: 5	it, Reference Monument of ETA#4 REDAR NW & WO	r Accessories Established by You to Perpetuate the
5. Sketch showing Relative Found or Set. Show Supp	orting and/or Contradicto	cessories and Two Reference Points Stating Whether ry Evidence where Applicable. Include North Arrow.
SET#4 Echae NOT 29 N 77° 31'13'W 50.47	1991 SET#4 52	37'47"W 38 RM 31.67 & P 14 19 19 N 28°47'09"W 31.67
5. Certification: Firm Name and/or Surveyor: _	JOHANSE	NS TUTTLE ENG Phone: 381-2523
Address: This is to certify that I was in	responsible charge of the surve	Wing work described in this accordant to
my knowledge the information. Location Diagram: Section: 19 Township: 185 O. Range: 10E	n presented herein is true and	Signature No. 146602 Surveyor's SeatCRAIG E. (over agnature) OHANSEN Days Days
I. Monument Inscription:	12. Diagram Coording from Master Index for Townships:	

11. Monument Inscription: