

# UTAH LAND SURVEY MONUMENT RECORD

County EMERY

1609  
County Reference No. 0946660300

1. Date of Field Work: 1-2-01


2. Type of Monument:  
(Check one)

Section Corner       Quarter Corner  
 Bench Mark         Other 1/16 CORNER

3. Your Description and Observation of Monument Found (Be Specific):  
FOUND STD BLM CAP

4. Description of Monument, Reference Monument or Accessories Established by You to Perpetuate the Location of this Point: SET A#4 ReBAR SW - SE - NE - NW

5. Sketch showing Relative Location of Monument Accessories and Two Reference Points Stating Whether Found or Set. Show Supporting and/or Contradictory Evidence where Applicable. Include North Arrow.





6. Certification:

Firm Name and/or Surveyor: JOHANSEN & TUTTLE ENG. Phone: 381-2523  
Address: 905 100E CASTLE DALE UTAH


This is to certify that I was in responsible charge of the surveying work described in this record and that to the best of my knowledge the information presented herein is true and correct.

7. Location Diagram:

8. Section: 24  
9. Township: 16  
10. Range: 9



11. Monument Inscription:



12. Diagram Coordinate from Master Index for Townships: \_\_\_\_\_

Report one monument per form.  
Type or use permanent black ink.  
Fill in all items.

# UTAH LAND SURVEY MONUMENT RECORD

County EMERY


1609  
County Reference No. 296640300

1. Date of Field Work: 12-22-00
2. Type of Monument: (Check one)  
 Section Corner       Quarter Corner  
 Bench Mark             Other

3. Your Description and Observation of Monument Found (Be Specific):  
FOUND STD GLO CAP WITH A SMALL MOUND OF STONE TO THE NORTH

4. Description of Monument, Reference Monument or Accessories Established by You to Perpetuate the Location of this Point: SET #4 REBAR E-S. SW 1/4 SE



5. Sketch showing Relative Location of Monument Accessories and Two Reference Points Stating Whether Found or Set. Show Supporting and/or Contradictory Evidence where Applicable. Include North Arrow.



6. Certification:  
 Firm Name and/or Surveyor: JOHANSEN & TUTTLE ENG Phone: 381-2523  
 Address: 90 S 100 E CASTLE DALE UTAH

This is to certify that I was in responsible charge of the surveying work described in this record and that to the best of my knowledge the information presented herein is true and correct.

7. Location Diagram:  
 8. Section: 24  
 9. Township: 16S  
 10. Range: 9E



11. Monument Inscription:

12. Diagram Coordinate from Master Index for Townships: \_\_\_\_\_

Signature: \_\_\_\_\_  
 Surveyor Seal (over signature)  
 Date: 11-30-01

LICENSED LAND SURVEYOR

No. 146602

CRAIG E. JOHANSEN

STATE OF UTAH

Report one monument per form.  
 Type or use permanent black ink.  
 Fill in all items.

# UTAH LAND SURVEY MONUMENT RECORD

County EMERY


County Reference No. <sup>1609</sup>~~097~~ 640340

1. Date of Field Work: 12-22-00
2. Type of Monument: (Check one)  
 Section Corner       Quarter Corner  
 Bench Mark         Other

3. Your Description and Observation of Monument Found (Be Specific):  
Found STD BIM CAP BY A RAILROAD TIE

4. Description of Monument, Reference Monument or Accessories Established by You to Perpetuate the Location of this Point: SET #4 REBAR NE-E-SW-1/4 of CAP



5. Sketch showing Relative Location of Monument Accessories and Two Reference Points Stating Whether Found or Set. Show Supporting and/or Contradictory Evidence where Applicable. Include North Arrow.



6. Certification:  
 Firm Name and/or Surveyor: JOHANSEN & TUTTLE ENG. Phone: 381-2523  
 Address: 90 S 100 E CASTLE DALE UTAH

This is to certify that I was in responsible charge of the surveying work described in this record and that to the best of my knowledge the information presented herein is true and correct.

7. Location Diagram:  
 8. Section: 24  
 9. Township: 16 S  
 10. Range: 9 E



11. Monument Inscription:

12. Diagram Coordinate from Master Index for Townships: \_\_\_\_\_

Signature: \_\_\_\_\_  
 Surveyor's Seal (over signature)  
 Date: \_\_\_\_\_

Report one monument per form.  
 Type or use permanent black ink.  
 Fill in all items.

11-30-01

# UTAH LAND SURVEY MONUMENT RECORD

County EMERY

1609  
County Reference No. 974640360


1. Date of Field Work: 12-22-00

2. Type of Monument: (Check one)  
 Section Corner       Quarter Corner  
 Bench Mark       Other 1/16 CORNER

3. Your Description and Observation of Monument Found (Be Specific):  
FOUND STD BLM CAP BY A RAILROAD TIE

4. Description of Monument, Reference Monument or Accessories Established by You to Perpetuate the Location of this Point: SET #4 REBAR E-SE-SW-E S OF CAP

5. Sketch showing Relative Location of Monument Accessories and Two Reference Points Stating Whether Found or Set. Show Supporting and/or Contradictory Evidence where Applicable. Include North Arrow.





6. Certification:

Firm Name and/or Surveyor: JOHANSEN & TUTTLE ENG Phone: 381-2523  
 Address: 90 S 100 E CASTLE DALE UTAH

This is to certify that I was in responsible charge of the surveying work described in this record and that to the best of my knowledge the information presented herein is true and correct.

7. Location Diagram:

8. Section: 24  
 9. Township: 16 S  
 10. Range: 9 E



11. Monument Inscription:

12. Diagram Coordinate from Master Index for Townships: \_\_\_\_\_

Signature: \_\_\_\_\_  
 Surveyor's Seal (over signature)  
 Date: \_\_\_\_\_

LICENSED LAND SURVEYOR

No. 146602

CRAIG E. JOHANSEN

11-30-01

STATE OF UTAH

Report one monument per form.  
 Type or use permanent black ink.  
 Fill in all items.

# UTAH LAND SURVEY MONUMENT RECORD

County EMERY

1609  
County Reference No. 946600340


1. Date of Field Work: 12-22-00

2. Type of Monument: (Check one)  
 Section Corner       Quarter Corner  
 Bench Mark       Other

3. Your Description and Observation of Monument Found (Be Specific):  
 FOUND STD GLD CAP ON THE EAST SLOPE OF A HILL WITH A SMALL MOUND OF STONE TO THE WEST

4. Description of Monument, Reference Monument or Accessories Established by You to Perpetuate the Location of this Point:  
 SET #4 REBAR NE-NW-S-E SW OF CAP



5. Sketch showing Relative Location of Monument Accessories and Two Reference Points Stating Whether Found or Set. Show Supporting and/or Contradictory Evidence where Applicable. Include North Arrow.



6. Certification:  
 Firm Name and/or Surveyor: JOHANSEN & TUTTLE ENG Phone: 381-2523  
 Address: 905 100E CASTLE DALE UTAH

This is to certify that I was in responsible charge of the surveying work described in this record and that to the best of my knowledge the information presented herein is true and correct.

7. Location Diagram:  
 8. Section: 24  
 9. Township: 16S  
 10. Range: 9E



11. Monument Inscription:

12. Diagram Coordinate from Master Index for Townships: \_\_\_\_\_

Signature: \_\_\_\_\_  
 Surveyor's Seal (over signature)  
 Date: 11-30-01  
  
 No. 146602  
 CRAIG E. JOHANSEN  
 STATE OF UT

Report one monument per form.  
 Type or use permanent black ink.  
 Fill in all items.

# UTAH LAND SURVEY MONUMENT RECORD

County EMERY

County Reference No. <sup>1609</sup>~~6946~~ 600300


1. Date of Field Work: 12-22-00

2. Type of Monument:   
 (Check one)       Section Corner       Quarter Corner   
                                   Bench Mark                       Other

3. Your Description and Observation of Monument Found (Be Specific):   
 FOUND STD GLO CAP WITH A SMALL MOUND OF STONE TO THE WEST

4. Description of Monument, Reference Monument or Accessories Established by You to Perpetuate the Location of this Point: SET A#4 REBAR NW-W-SW-E S OF CAP

5. Sketch showing Relative Location of Monument Accessories and Two Reference Points Stating Whether Found or Set. Show Supporting and/or Contradictory Evidence where Applicable. Include North Arrow.





6. Certification:

Firm Name and/or Surveyor: JOHANSEN & TUTTLE ENG Phone: 381-2523   
 Address: 90 S 100E CASTLE DALE UTAH

This is to certify that I was in responsible charge of the surveying work described in this record and that to the best of my knowledge the information presented herein is true and correct.

7. Location Diagram:

8. Section: 24   
 9. Township: 16S   
 10. Range: 9E



11. Monument Inscription:

12. Diagram Coordinate from Master Index for Townships: \_\_\_\_\_

Signature: \_\_\_\_\_   
 Surveyor's Seal (over signature): **LICENSED LAND SURVEYOR No. 146602 CRAIG E JOHANSEN STATE OF UTAH**   
 Date: 11-30-01

Report one monument per form.   
 Type or use permanent black ink.   
 Fill in all items.