

# UTAH LAND SURVEY MONUMENT RECORD

County EMERY

County Reference No. <sup>1610</sup>~~1816~~ 100500

1. Date of Field Work: 12-21-00

2. Type of Monument:  Section Corner     Quarter Corner  
 (Check one)                       Bench Mark                       Other


3. Your Description and Observation of Monument Found (Be Specific):

FOUND STD GLO CAP IN A MOUND OF STONE

4. Description of Monument, Reference Monument or Accessories Established by You to Perpetuate the Location of this Point:

SET #4 REBAR W-SW-S-E SE OF CAP

5. Sketch showing Relative Location of Monument Accessories and Two Reference Points Stating Whether Found or Set. Show Supporting and/or Contradictory Evidence where Applicable. Include North Arrow.





6. Certification:

Firm Name and/or Surveyor: JOHANSEN & TUTTLE ENG Phone: 381-2523  
 Address: 905 100 E CASTLE DALE UTAH

This is to certify that I was in responsible charge of the surveying work described in this record and that to the best of my knowledge the information presented herein is true and correct.

7. Location Diagram:

8. Section: 7  
 9. Township: 16 S  
 10. Range: 10 E



11. Monument Inscription:

Signature: \_\_\_\_\_  
 Surveyor's Seal (over signature) **CRAIG E. JOHANSEN**  
 Date: 11-30-01

12. Diagram Coordinate from Master Index for Townships: \_\_\_\_\_

Report one monument per form.  
 Type or use permanent black ink.  
 Fill in all items.

# UTAH LAND SURVEY MONUMENT RECORD

County EMERY

County Reference No. <sup>1610</sup>  
~~106140600~~


1. Date of Field Work: 12-19-00

2. Type of Monument:   
 (Check one)       Section Corner       Quarter Corner  
                           Bench Mark                       Other

3. Your Description and Observation of Monument Found (Be Specific):  
Found STD BLM CAP WITH A SMALL MOUND OF STONE TO THE NORTH

4. Description of Monument, Reference Monument or Accessories Established by You to Perpetuate the Location of this Point:  
SET A #4 REBAR N - SE - SW - W OF CAP



5. Sketch showing Relative Location of Monument Accessories and Two Reference Points Stating Whether Found or Set. Show Supporting and/or Contradictory Evidence where Applicable. Include North Arrow.



6. Certification:  
 Firm Name and/or Surveyor: JOHANSEN & TUTTLE ENG Phone: 381-2523  
 Address: 905 100E CASTLE DALE UTAH

This is to certify that I was in responsible charge of the surveying work described in this record and that to the best of my knowledge the information presented herein is true and correct.

7. Location Diagram:  
 8. Section: 7  
 9. Township: 10S  
 10. Range: 10E



11. Monument Inscription:

12. Diagram Coordinate from Master Index for Townships: \_\_\_\_\_

LICENSED LAND SURVEYOR

No. 146602

SURVEYOR'S SEAL

CRAIG E. JOHANSEN

STATE OF UTAH

Signature: \_\_\_\_\_  
 Date: 11-30-11

Report one monument per form.  
 Type or use permanent black ink.  
 Fill in all items.

# UTAH LAND SURVEY MONUMENT RECORD

County EMERY

County Reference No. 1610  
~~116100540~~


1. Date of Field Work: 12-19-00

2. Type of Monument: (Check one)  
 Section Corner       Quarter Corner  
 Bench Mark             Other

3. Your Description and Observation of Monument Found (Be Specific):  
FOUND STD GLO CAP in a MOUND OF STONE.

4. Description of Monument, Reference Monument or Accessories Established by You to Perpetuate the Location of this Point: SET #4 REBAR N-E W-S/E OF CAP

5. Sketch showing Relative Location of Monument Accessories and Two Reference Points Stating Whether Found or Set. Show Supporting and/or Contradictory Evidence where Applicable. Include North Arrow.





6. Certification:

Firm Name and/or Surveyor: JOHANSEN & TUTTLE ENG Phone: 381-2523  
 Address: 90 S 100E CASTLEDALE UTAH

This is to certify that I was in responsible charge of the surveying work described in this record and that to the best of my knowledge the information presented herein is true and correct.

7. Location Diagram:

8. Section: 7  
 9. Township: 16S  
 10. Range: 10E



11. Monument Inscription:

12. Diagram Coordinate from Master Index for Townships: \_\_\_\_\_

Signature: \_\_\_\_\_  
 Surveyor's Seal (over signature):  
  
 Date: 11-30-01

Report one monument per form.  
 Type or use permanent black ink.  
 Fill in all items.