


Emery County 2000 Point ID System



T R X Y
 1610440400 = S 1/4, Sec. 15, T 16 S, R 10 E.

1610

T. 16 S. R. 10 E. SLM

© MONUMENT RECORD FILED


November 2001

EMERY COUNTY SECTION CORNERS		1610			
NAD 83 (1994) State Plane Coordinate Data, Central Zone		2000 id system			
TOWNSHIP 16 SOUTH, RANGE 10 EAST					
SECTION CODE	INTERNATIONAL FEET			POSITION	
	NORTHING	EASTING	ELEV.	LATITUDE	LONGITUDE
1610100140	6947000.53	1823433.01	0.00	N 39° 23' 21.8607	W 110° 51' 08.7978
1610100200	6949649.55	1823398.28	5784.57	N 39° 23' 48.0456	W 110° 51' 08.9959
1610100240	6952297.94	1823360.30	0.00	N 39° 24' 14.2245	W 110° 51' 09.2355
1610100460	6964241.72	1823192.85	5800.82	N 39° 26' 12.2863	W 110° 51' 10.2679
1610100500	6965569.48	1823173.06	5839.67	N 39° 26' 25.4111	W 110° 51' 10.3977
1610100540	6968224.34	1823140.95	5799.31	N 39° 26' 51.6534	W 110° 51' 10.5622
1610100600	6970878.60	1823108.78	5792.17	N 39° 27' 17.8898	W 110° 51' 10.7275
1610140400	6960284.62	1825904.76	0.00	N 39° 25' 32.9799	W 110° 50' 36.0718
1610140600	6970939.59	1825770.17	5830.75	N 39° 27' 18.3010	W 110° 50' 36.7904
1610200400	6960373.96	1828571.97	0.00	N 39° 25' 33.6679	W 110° 50' 02.0720
WC - 1610200400	6960373.63	1828562.08	5733.41	N 39° 25' 33.6654	W 110° 50' 02.1981
1610200440	6963039.40	1828533.24	5741.22	N 39° 26' 00.0154	W 110° 50' 02.3126
1610200500	6965694.13	1828494.77	5732.66	N 39° 26' 26.2570	W 110° 50' 02.5510
1610200540	6968344.06	1828466.77	5773.92	N 39° 26' 52.4503	W 110° 50' 02.6565
1610200600	6971001.09	1828439.13	5805.82	N 39° 27' 18.7138	W 110° 50' 02.7566
1610220500	6965709.60	1829828.31	5730.50	N 39° 26' 26.3114	W 110° 49' 45.5511
1610240400	6960358.83	1831237.78	5736.92	N 39° 25' 33.3208	W 110° 49' 28.0999
1610240500	6965725.51	1831162.25	5739.55	N 39° 26' 26.3694	W 110° 49' 28.5461
1610300400	6960383.88	1833895.55	5682.91	N 39° 25' 33.3686	W 110° 48' 54.2265
1610300500	6965687.86	1833828.01	5732.57	N 39° 26' 25.7970	W 110° 48' 54.5697
1610400200	6949861.07	1839363.70	5646.56	N 39° 23' 48.9441	W 110° 47' 45.5953
1610400240	6952504.88	1839325.29	0.00	N 39° 24' 15.0778	W 110° 47' 45.8196
WC - 1610400240	6952578.79	1839324.22	5629.40	N 39° 24' 15.8084	W 110° 47' 45.8258
1610400300	6955149.63	1839285.89	5641.43	N 39° 24' 41.2209	W 110° 47' 46.0564
1610400340	6957783.37	1839263.26	5659.54	N 39° 25' 07.2539	W 110° 47' 46.0806
1610400400	6960430.80	1839229.08	5689.96	N 39° 25' 33.4231	W 110° 47' 46.2507
1610420400	6960462.51	1840560.86	5728.43	N 39° 25' 33.6326	W 110° 47' 29.2751

1610440200	6949897.90	1842018.47	5608.80	N	39° 23' 49.1002	W	110° 47' 11.7731
1610440400	6960493.47	1841893.19	5797.78	N	39° 25' 33.8339	W	110° 47' 12.2926
1610460300	6955216.68	1843279.90	5644.63	N	39° 24' 41.5699	W	110° 46' 55.1601
1610500200	6949922.49	1844659.62	0.00	N	39° 23' 49.1337	W	110° 46' 38.1255
1610500240	6953901.52	1844627.20	5621.80	N	39° 24' 28.4639	W	110° 46' 38.1289
1610500240	6952573.23	1844640.57	5610.92	N	39° 24' 15.3344	W	110° 46' 38.0953
1610500300	6955229.14	1844613.83	5631.99	N	39° 24' 41.5868	W	110° 46' 38.1626
1610500340	6957891.03	1844575.06	5645.39	N	39° 25' 07.8993	W	110° 46' 38.3825
1610500400	6960556.35	1844558.51	5618.10	N	39° 25' 34.2439	W	110° 46' 38.3190

UTAH LAND SURVEY MONUMENTS MASTER INDEX

TOWNSHIP 16 S, RANGE 10 E, SLB & M.



↑
N
Scale
1" = 1 Mile

◆ Legend BLM Brass Cap
Location of Monument.
Record filed under this township.

EXPLANATION

Each monument record is identified by an numerical-alphabetical index or coordinate number which is related to the township diagram above. For example, the quarter corner common to Sections 4 and 5 would have the coordinate number 9-X.

Monuments which are not located at intersecting lines on the above diagram are identified by reference to the nearest decimal division of the spaces, with the decimal values increasing to the right and upward; e.g. 1.7-C, 8-M.3, 6.2-T.5.

A monument which is common to adjoining townships will be identified by the coordinates in the township in which the record is to be filed, except in the case where a county boundary coincides with a township line, in which case an appropriate coordinate number shall be used for each county involved.

Within each township file, the records shall be inserted in numerical-alphabetical order from top to bottom.

NOTICE

There may be more than one record for a monument. DO NOT REMOVE OLD RECORD when filing new one.